



1 / 13

Figure 1




BioMolTech CO. Y

Figure 2




3 / 13

Figure 3




ESI WILEY CO., INC.

Figure 4

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted May 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY 4.0 International license.


5 / 13

Figure 5



6 / 13

Figure 6

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2015. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

7 / 13


Figure 7



Accepted for publication

8/13

Figure 8



ACCEPTED FOR PUBLICATION

9 / 13

Figure 9




Figure 10




Figure 11





Figure 11: Two panels, A and B, showing a dense, noisy pattern of dots and lines, likely representing a microarray or a high-resolution image of a biological sample. Panel A shows a more uniform distribution of dots, while Panel B shows a more clustered distribution with some darker, more prominent spots.

12 / 13

Figure 12



13 / 13

Figure 13

